**EAST Search History**

**EAST Search History (Prior Art)**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| S3 | 5279 | france near2 telecom. as. | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 12:34 |
| S5 | 4535 | (datagram or packet) same (mark$4 or tag $4)near20 network | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 13:57 |
| S6 | 5440 | (datagram$4 or packet $4)same (mark$4 or tag$4)near20 network | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 13:57 |
| S7 | 12 | S3 and S6 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 13:58 |
| S8 | 1198 | (rout$4 or path)same (datagram or packet) same (mark$4 or tag $4)same field | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:06 |
| S9 | 2266 | (datagram or packet) same (mark$4 or tag $4)same source same destination | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:11 |
| S10 | 431 | S8 and S9 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:11 |
| S11 | 12818 | cisco.as. | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:11 |
| S12 | 32 | S10 and S11 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:11 |
| S13 | 1193 | (datagram or packet) same (mark$4 or tag $4)same source same destination same (identif$4 or classif$6 or recogniz$4) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:16 |

| S14 | 45 | S11 and S13 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:17 |
| S15 | 282 | S8 and S13 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:21 |
| S17 | 16 | S11 and S15 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:21 |
| S19 | 369 | datagram rout$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:33 |
| S20 | 69 | S19 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:33 |
| S22 | 11 | (datagram or packet) same (mark$4 or tag $4)same source same destination same (identif$4 or classif$6 or recogniz$4)same vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 14:36 |
| S23 | 19 | (datagram or packet) same (mark$4 or tag $4)same source same destination same vector same field | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:02 |
| S24 | 22 | (datagram or packet) same (mark$4 or tag $4 or flag)same source same destination same vector same field | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:03 |
| S27 | 2085 | PREFIX SAME ROUT$4 SAME DESTINATION | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:33 |
| S28 | 128 | S13 AND S27 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:33 |
| S29 | 38 | S28 AND VECTOR | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:34 |

| S31 | 96 | S28 AND S30 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:35 |
| S32 | 37 | S31 AND VECTOR | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:35 |
| S35 | 80 | DATAGRAM WITH VECTOR | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:39 |
| S37 | 21 | S27 AND S35 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:41 |
| S39 | 55 | "6473411" B1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/20 15:54 |
| S41 | 1888 | multicast routing | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 07:59 |
| S42 | 537 | S41 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 07:59 |
| S43 | 292985 | table same reference | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 07:59 |
| S44 | 148 | S42 and S43 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:00 |
| S45 | 51 | S44 and index same field | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:00 |
| S48 | 4102 | ROUT$4 SAME IP SAME DATAGRAM | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:05 |
| S51 | 50 | S45 AND ROUTER | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:06 |

| S52 | 485 | FORWARD ROUTING | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:07 |
|---|---|---|---|---|---|---|
| S55 | 989 | (MARK$4 OR FLAG$4 OR DESCRIPTOR$4) SAME (DATA$4 OR PACKET)SAME (STREAM OR PATH OR ROUTE)SAME ROUTER | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:17 |
| S60 | 47 | S58 AND INDEX SAME FIELD | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:20 |
| S61 | 12848 | CISCO.AS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:21 |
| S65 | 459 | VECTOR INDEX SAME (DATAGRAM OR DATA OR FRAME OR PACKET) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:33 |
| S68 | 4 | S61 AND S65 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:34 |
| S69 | 1440 | VECTOR INDEX | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:35 |
| S70 | 4 | S61 AND S69 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:36 |
| S71 | 4015 | INDEX FIELD | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:36 |
| S72 | 37 | S69 AND S71 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:36 |
| S76 | 11004 | NORTEL.AS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:51 |
| S78 | 15 | S55 AND S76 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 08:52 |

| S79 | 6922 | VECTOR same INDEX SAME (DATAGRAM OR DATA OR FRAME OR PACKET) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 09:38 |
|-----|------|------|------|------|------|------|
| S80 | 863 | VECTOR same INDEX SAME field same (DATAGRAM OR DATA OR FRAME OR PACKET) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 09:38 |
| S83 | 124 | S80 and router | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 09:42 |
| S84 | 5 | S55 AND S80 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 09:54 |
| S85 | 15 | S55 AND S76 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 09:55 |
| S86 | 14719 | routing table | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:07 |
| S87 | 24 | S80 and S86 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:07 |
| S88 | 128 | (MARK$4 OR FLAG$4 OR DESCRIPTOR$4) SAME (DATA$4 OR PACKET)SAME (STREAM OR PATH OR ROUTE)S | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:11 |
| S89 | 41552 | (MARK$4 OR FLAG$4 OR DESCRIPTOR$4) SAME (DATA$4 OR PACKET)SAME (STREAM OR PATH OR ROUTE) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:11 |
| S90 | 1459 | S86 and S89 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:12 |
| S91 | 453 | S90 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:12 |

| S92 | 1097 | (MARK$4 OR FLAG$4 OR DESCRIPTOR$4) SAME (DATA$4 OR PACKET)SAME (STREAM OR PATH OR ROUTE)SAME vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:13 |
|-----|------|------|------|-----|-----|------|
| S93 | 951 | S92 and field | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:13 |
| S94 | 182 | S92 and field same index | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:14 |
| S95 | 76 | S94 and router | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:14 |
| S97 | 74 | S95 and table | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:14 |
| S98 | 12 | S86 and S95 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:15 |
| S99 | 22 | S95 and table same routing | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:16 |
| S101 | 24 | "6473421" B1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:24 |
| S102 | 15 | 08/997343 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 10:29 |
| S103 | 43 | "6763007" B1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:18 |
| S104 | 80 | VECTOR WITH DATAGRAM | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:27 |
| S106 | 62 | S104 AND ROUTER | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:28 |

| S107 | 11 | VECTOR WITH DATAGRAM SAME FIELD | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:29 |
| S108 | 2 | 10/725968 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:30 |
| S109 | 80 | VECTOR WITH DATAGRAM | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:48 |
| S110 | 87 | FORWARDING DATAGRAM | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:48 |
| S111 | 5 | S109 AND S110 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:49 |
| S116 | 169 | VECTOR SAME DATAGRAM | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:51 |
| S117 | 7 | S110 AND S116 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:51 |
| S119 | 83 | S118 AND DATAGRAM SAME VECTOR | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:53 |
| S120 | 7 | S117 AND ROUTER | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:53 |
| S121 | 65 | S119 AND ROUTER | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:53 |
| S122 | 4 | S117 AND ROUT$5 SAME TABLE | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 11:54 |
| S123 | 36 | "6345302" | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 14:11 |

| S124 | 159 | "5517494" | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>14:16 |
|------|-----|-----------|------|-----|-----|-----------|
| S127 | 43 | S125 and datagram | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>14:23 |
| S129 | 26 | "6212190" B1 | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:14 |
| S130 | 100 | DATAGRAM SAME<br>TRANSMI$6 SAME<br>VECTOR | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:20 |
| S131 | 82 | S130 AND (MARK$4<br>OR TAG$4 OR LABEL) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:20 |
| S132 | 66 | S131 AND ROUTER | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:20 |
| S134 | 60 | S133 AND VECTOR | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:26 |
| S136 | 5 | S133 AND VECTOR<br>SAME DATAGRAM<br>SAME FIELD | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:27 |
| S137 | 67 | DATAGRAM<br>FORWARDING | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:28 |
| S138 | 6 | S137 AND VECTOR | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:28 |
| S139 | 80 | DATAGRAM WITH<br>VECTOR | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:29 |
| S140 | 62 | S139 AND ROUTER | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/26<br>16:30 |

| S141 | 53 | S140 AND (TAG OR LABEL OR MARK) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 16:30 |
| S142 | 54 | S118 and S139 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/26 16:45 |
| S145 | 118163 | "370"/$.CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 07:33 |
| S147 | 368 | S143 and S145 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 07:33 |
| S148 | 78 | S147 and datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 07:33 |
| S149 | 57 | S147 and datagram same (forward$4 or transmi$6) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 07:34 |
| S150 | 38 | S147 and datagram with(forward$4 or transmi$6) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 07:34 |
| S151 | 13 | "6480468" | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 08:19 |
| S154 | 156 | hop with vector same rout$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:21 |
| S156 | 13 | S155 and S154 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:21 |
| S157 | 2 | hop with vector same rout$4 same datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:25 |
| S159 | 31 | S154 and datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:33 |

| S160 | 80 | vector with datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:34 |
|------|------|----------------------|----------------------------------|-----|-----|------------------|
| S161 | 3 | vector with datagram same hop | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:34 |
| S162 | 55 | S160 and hop | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:34 |
| S163 | 55 | S162 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:35 |
| S164 | 4 | S163 and index | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:35 |
| S166 | 31 | hop$1by$1hop same vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:39 |
| S167 | 6 | hop$1by$1hop same vector same datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:39 |
| S169 | 24 | hop$1by$1hop same vector same rout$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:44 |
| S170 | 5 | S169 and datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:44 |
| S171 | 1489 | multicast same datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:46 |
| S172 | 62 | S165 and S171 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:46 |
| S173 | 16 | S172 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 09:46 |

| S175 | 101 | S165 and S174 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:06 |
| S176 | 34 | S175 and datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:07 |
| S177 | 8 | S175 and datagram same vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:07 |
| S178 | 14 | S176 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:08 |
| S180 | 10 | hop$1by$1hop same (packet or datagram) same vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:16 |
| S181 | 82 | (packet or datagram) same vector length | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:18 |
| S184 | 29 | S181 AND S183 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:25 |
| S190 | 173 | S189 AND VECTOR | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:31 |
| S191 | 163 | S190 AND (PACKET OR DATAGRAM) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:31 |
| S192 | 84 | S191 AND HOP | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:32 |
| S193 | 3 | "20030037142" A1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 10:37 |
| S194 | 89 | S165 and S188 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 11:10 |

| S196 | 3 | S161 and (packet or datagram) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 11:15 |
|------|-----|--------------------------------|-----------------------------------|-----|-----|-------------------|
| S197 | 81 | S194 and (packet or datagram) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 11:16 |
| S198 | 42 | S194 and (packet or datagram)same(field or vector) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 11:16 |
| S199 | 67 | S188 and (packet or datagaram)with vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 11:42 |
| S203 | 5324 | hop$1by$1hop same (forwarding or tranmit $6)or(packet or datagram)same vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 13:50 |
| S204 | 297 | hop$1by$1hop same (forwarding or tranmit $6)or(packet or datagram)same vector filed | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 13:51 |
| S206 | 115 | S204 and S205 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 13:52 |
| S207 | 1271 | next router | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 13:52 |
| S208 | 10 | S206 and S207 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 13:53 |
| S209 | 2 | S208 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 13:56 |
| S210 | 179 | ROUTING DATAGRAM | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 14:03 |
| S213 | 22659 | DISTAN$4 WITH VECTOR | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 14:14 |

| S214 | 31 | S210 AND S213 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 14:14 |
|------|-----|------------------------------|-----------------------------------|-----|-----|------------------|
| S217 | 25 | S215 AND hop$1by $1hop | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 15:18 |
| S218 | 361 | S216 AND DATAGRAM SAME ROUT$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 15:31 |
| S220 | 253 | S218 and S219 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 15:34 |
| S221 | 85 | S220 and hop | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 15:35 |
| S222 | 70 | S221 and router | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 15:35 |
| S223 | 29 | S222 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 15:37 |
| S224 | 13 | S222 and read$4 same writ$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 15:41 |
| S225 | 4 | S224 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 15:54 |
| S226 | 88 | datagram same vector same rout$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 15:57 |
| S229 | 29 | S228 and vector | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 16:01 |
| S230 | 22 | S229 and router | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 16:01 |

| S231 | 13 | S230 and hop | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 16:01 |
|---|---|---|---|---|---|---|
| S232 | 13 | S231 and (ORIGINAT $4 OR SOURCE) SAME DESTINATION | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/27 16:02 |
| S233 | 955 | router same table same (datagram or packet)same field | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 08:55 |
| S236 | 253 | S233 and read$4 with writ$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 08:56 |
| S237 | 242 | S236 and (increment $4 or rise or addition) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 08:57 |
| S239 | 154 | S236 and incremented | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 08:58 |
| S240 | 20 | S236 and incremented same read same value | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 08:58 |
| S241 | 7215 | rout$4 same table same writ$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 09:02 |
| S242 | 4 | rout$4 same table same writ$4 same field same datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 09:03 |
| S243 | 10287 | router with table | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 10:24 |
| S245 | 52340 | rout$4 with table | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 10:25 |
| S247 | 582 | rout$4 with table same datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 10:27 |

| S248 | 12 | rout$4 with table same datagram same writ$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 10:27 |
| S249 | 6 | rout$4 with table same datagram same writ$4 same (one or S233) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 11:21 |
| S250 | 389 | rout$4 with table same incremented same (one or S233) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 11:33 |
| S251 | 23 | S250 and datagram | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 11:33 |
| S252 | 191 | rout$4 with table same incremented same (one or S233) same value | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 11:44 |
| S254 | 30 | rout$4 with table same incremented same (one or S233) same value same (datagram or packet) | US-PGPUB; USPAT; DERWENT; IBM_TDB | ADJ | OFF | 2009/08/28 11:45 |

8/30/2009 5:43:46 PM
C:\ Documents and Settings\ kabdalla\ My Documents\ EAST\ Workspaces\ 10584236.wsp